Product Datasheet

Radhound X/I

Hand-held Digital Radiation Meter

The Radhound X/I is an advanced hand-held survey meter with an internal dose rate detector for x-ray and gamma measurement.

Application Areas

- Health physics: for contamination monitoring on surfaces, clothing and objects etc.
- Nuclear medicine departments: suitable for ¹²⁵I, ^{99m}Tc, etc.
- Radiological survey work and lab use.
- Emergency planning, response and clean up.
- Research applications.

Features

- Clear digital LCD display with backlight.
- GM and scintillation detectors for contamination and dose rate measurements.
- Fully adjustable alarm levels.
- Scaler timer function.
- Peak mode.
- Over range.
- Dose rate range: 0.01 uSv/hr 1 mSv/hr



Specifications

Radiological Performance

Measured Quantity

Dose Rate Range

Energy Response

Mechanical	
Dimensions	165 x 115 x 59 mm (excluding handle)
Weight	Typically 1.4 kg
Units	uSv/hr, mSv/hr, Sv/hr
Display	Large backlit LCD 70 mm x 40 mm Automatic backlight movement sensor – when instrument is picked up, the backlight comes on On screen battery status indication
Main Modes of Operation	Dose rate, integration mode, histogram, peak value Menu gives control of system parameters and multiple probe library

Ambient Dose equivalent H*(10)

0.01 uSv/hr – 1 mSv/hr

20 keV – 1.5 MeV

Power	
Battery	Uses 2 x 1.5 V Alkaline C-Cell (or optional Lithium Ion rechargeable)
Battery Life	Typically >8 hours continuous use
Environmental	
Operating Temperature	-10°C to +50°C
Storage Temperature	-25°C to +60°C
Compliance	
Standard Compliance	In conformity with EMC directive (2004/108/EC), EN61326-1 EN61000-3-2, EN6100-3-3 Low Voltage Directive (2006/95/EC) Designed to meet IEC 60325-2006 and IEC 60846-2004 Nuclear Instrumentation Standards

Specifications are subject to change without notice. For the most up-to-date specifications, please visit www.southernscientific.co.uk

Southern Scientific Limited
Scientific House, The Henfield Business Park
Shoreham Road, Henfield, BN5 9SL, UK

E-mail: info@southernscientific.co.uk Tel: +44 (0)1273 497600 Fax: +44 (0)1273 497626

www.southernscientific.co.uk

A LabLogic Group Company

